



Quasi-Zenith Satellite System

Service Performance Report for 1stH FY2025

Centimeter Level Augmentation Service (CLAS)

January 21, 2026

Quasi-Zenith Satellite System Services Inc. (QSS)



1. Evaluation Period

From April 1, 2025 to September 30, 2025 (UTC).

2. Evaluation Item

- Accuracy of static and kinematic positioning
- TTFF of static and kinematic positioning
- Availability
- Continuity
- Integrity

3. Evaluation Method

3.1. Accuracy and TTFF of static and kinematic positioning

Positioning accuracy and TTFF are based on a statistical value (95th percentile values), represented by dividing the CLAS service area into 12 areas (Figure.1).

In each area, several Continuously Operating Reference Stations (CORS) are assigned from GEONET (GNSS Earth Observation Network System) for evaluation (*1). Positioning accuracy and TTFF for each area are calculated from the positioning results of all the evaluation stations included in each area.




Figure.1 Evaluation Area Division

In the positioning calculation, the CLAS test library (CLASLIB; Centimeter Level Augmentation Service Test Library), an open-source toolkit for PPP-RTK (Precise Point Positioning - Real-Time Kinematic), and the archived L6 messages are utilized (*2).

In the TTFF calculation, the filter of the CLASLIB is restarted every 30 min to obtain the statistics on the time for fixing the ambiguity. The TTFF results are obtained by adding the maximum time to receive CSSR correction data (30 sec) to the time to first fix obtained every 30 min.

As a reference position, a precise current coordinate for each reference station provided by the Geospatial Information Authority of Japan (GSI), called an “F5 solution” are used. As a positioning signal, GPS L1C/A-L2P, QZSS L1C/A-L2C, and Galileo E1b-E5a are utilized in the CLASLIB’s positioning calculation.



3.2. Availability

The availability metric for the L6D signal utilized in CLAS is evaluated every second for all evaluation period of 1stH FY2025 based on the definition of QZSS Performance Standard (PS-QZSS) Section 6.4.

3.3. Continuity

Continuity reports unscheduled interruptions that occur during the period.

The unscheduled interruption is the outage without a notification at least 48 hours in advance.

3.4. Integrity

Integrity reports integrity risks that occur during the period.

The integrity risk is the unhealthy condition without a timely alarm.



4. Evaluation Result

4.1. Accuracy

Table.1 and Table.2 show the monthly horizontal and vertical 95th percentile values of the static and kinematic positioning accuracy for each month, respectively.

In addition, Figure.1 and Figure.2 show the cumulative frequency distributions in all areas of the static and kinematic positioning accuracy, respectively.

Table.1 Monthly 95th Percentile Values of Static Positioning Accuracy

Area	Positioning Accuracy (95%) [cm]											
	April		May		June		July		August		September	
	H	V	H	V	H	V	H	V	H	V	H	V
1	2.1	5.7	2.3	6.2	1.9	6.3	2.0	7.4	2.3	7.7	2.5	6.6
2	2.8	7.1	3.0	6.2	2.5	7.7	3.3	9.1	3.4	8.3	3.1	7.4
3	2.2	8.4	2.4	9.9	2.0	10.2	2.5	9.9	2.8	10.0	2.5	9.0
4	2.0	5.6	2.2	5.2	2.3	6.0	2.3	6.8	2.6	6.7	2.2	6.2
5	2.2	6.1	2.3	5.9	2.4	6.6	2.3	7.0	2.4	7.5	2.3	7.2
6	2.0	6.2	2.2	6.1	2.0	6.7	2.5	7.3	2.7	8.2	2.3	7.6
7	2.6	5.5	2.8	5.0	2.4	5.7	3.0	7.3	3.5	7.3	2.4	6.1
8	2.1	6.7	2.1	7.3	2.3	7.6	2.3	8.5	2.5	9.4	4.9	8.8
9	2.2	5.0	2.3	5.3	2.4	5.8	2.5	6.5	2.8	7.4	2.4	7.1
10	2.3	7.5	2.2	7.0	2.1	7.0	3.0	8.2	2.6	8.5	2.2	8.4
11	2.2	4.5	2.1	4.4	2.1	4.6	4.3	6.3	2.8	5.3	2.2	5.5
12	14.5	11.3	2.4	4.4	2.8	3.7	3.2	5.1	3.2	5.4	14.0	17.9
total	2.3	6.5	2.3	6.5	2.2	6.8	2.6	7.9	2.8	8.2	2.5	7.7


* H=Horizontal, V=Vertical



Table.2 Monthly 95th Percentile Values of Kinematic Positioning Accuracy

Area	Positioning Accuracy (95%) [cm]											
	April		May		June		July		August		September	
	H	V	H	V	H	V	H	V	H	V	H	V
1	4.9	11.9	5.1	11.7	3.5	9.4	3.6	10.1	4.5	11.4	5.6	13.2
2	14.7	25.0	11.0	17.8	7.2	14.8	9.7	20.0	12.6	23.0	10.3	19.9
3	9.2	16.2	6.7	15.2	7.5	15.9	7.1	16.1	8.2	17.0	6.6	15.3
4	5.1	11.0	4.7	10.6	5.2	11.7	5.2	12.5	5.8	13.0	4.9	11.8
5	5.2	11.6	5.7	12.0	7.1	13.6	5.2	12.8	6.3	14.1	5.0	12.9
6	4.1	10.2	5.0	11.3	6.6	13.2	8.1	15.1	7.8	15.5	5.1	12.9
7	8.2	12.9	6.3	11.8	5.8	12.0	7.4	13.9	7.7	13.8	4.7	11.1
8	3.6	10.4	4.4	11.9	8.6	14.4	7.1	15.5	6.8	15.6	6.7	14.5
9	3.5	8.4	4.2	9.4	5.0	11.2	5.8	12.3	5.5	12.8	4.8	11.4
10	3.5	9.5	3.9	9.6	4.5	11.1	6.2	13.1	5.0	12.4	4.3	11.0
11	3.4	7.2	3.7	7.8	4.4	9.0	7.4	12.3	5.7	10.7	4.3	9.2
12	22.6	27.9	9.2	11.5	10.5	12.5	11.5	15.9	14.1	18.8	22.1	34.9
total	5.2	11.3	5.1	11.4	5.4	12.3	6.5	13.8	6.7	14.1	5.4	12.7


* H=Horizontal, V=Vertical



(a)Horizontal Accuracy

(b) Vertical Accuracy

Figure.1 Cumulative Frequency Distribution of Static Positioning in all areas



(a)Horizontal Accuracy

(b) Vertical Accuracy

Figure.2 Cumulative Frequency Distribution of Kinematic Positioning in all areas



4.2. TTFF

Table.3 and Table.4 show the monthly 95th percentile values of the static and kinematic TTFF for each month, respectively.

Table.3 Monthly 95th Percentile Values of Static TTFF

Area	TTFF (95%) [s]					
	April	May	June	July	August	September
1	35.0	35.0	35.0	35.0	35.0	35.0
2	50.0	40.0	36.0	39.0	39.0	36.0
3	42.0	35.0	36.0	35.0	36.0	35.0
4	36.0	35.0	35.0	35.0	35.0	35.0
5	38.0	35.0	35.0	35.0	35.0	35.0
6	35.0	35.0	36.0	36.0	36.0	35.0
7	44.0	35.0	35.0	35.0	35.0	35.0
8	35.0	35.0	35.0	35.0	35.0	35.0
9	35.0	35.0	35.0	35.0	35.0	35.0
10	35.0	35.0	35.0	35.0	35.0	35.0
11	35.0	35.0	35.0	35.0	35.0	35.0
12	59.0	35.0	35.0	35.0	36.0	68.0
total	35.0	35.0	35.0	35.0	35.0	35.0



Table.4 Monthly 95th Percentile Values of Kinematic TTFF

Area	TTFF (95%) [s]					
	April	May	June	July	August	September
1	35.0	35.0	35.0	35.0	35.0	35.0
2	50.0	42.0	37.0	42.0	44.0	38.0
3	41.0	37.0	37.0	37.0	37.0	37.0
4	37.0	35.0	36.0	35.0	36.0	35.0
5	39.0	36.0	36.0	36.0	36.0	35.0
6	36.0	35.0	38.0	39.0	36.0	35.0
7	44.0	36.0	36.0	36.0	36.0	35.0
8	35.0	35.0	36.0	37.0	36.0	35.0
9	35.0	35.0	35.0	35.0	35.0	35.0
10	35.0	35.0	35.0	35.0	35.0	35.0
11	35.0	35.0	35.0	36.0	35.0	35.0
12	59.0	35.0	35.0	36.0	39.0	65.0
total	36.0	35.0	35.0	36.0	36.0	35.0



4.3. Availability

Table.5 shows the availability for the evaluation period.

Table.5 Availability

Metric			Specification	Availability
Constellation Service Availability			≥ 0.99	0.999
Service Availability by Each QZS	SVN002 (PRN194)	QZO	≥ 0.97	0.999
	SVN003 (PRN199)	GEO		0.921 ^{*4}
	SVN004 (PRN195)	QZO		0.999
	SVN005 (PRN196)	QZO		0.999
Constellation Service Availability at High Elevation Angles		Northern limit ^{*3}	≥ 0.83	0.898
		Southern limit ^{*3}		0.999



4.4. Continuity

Table 6 shows the continuity for the evaluation period.

Table.6 Continuity (1/2)

Satellite	Continuity
SVN002 (PRN194)	Unscheduled interruptions occurred on [Jun. 18, 2025] (NAQU2025127, 131, 168, 169, 170), [Jun. 20, 2025] (NAQU2025154, 160), [Jun. 21, 2025] (NAQU2025179, 183), [Jun. 23, 2025] (NAQU2025207, 209), [Jul. 3, 2025] (NAQU2025227), [Jul. 4, 2025] (NAQU2025228, 230).
SVN003 (PRN199)	Scheduled interruptions occurred on [from Jun. 30 to Jul. 14, 2025] (NAQU 2025219, 220, 236, 237). Unscheduled interruptions occurred on [Jun. 13, 2025] (NAQU 2025094, 100), [Jun. 20, 2025] (NAQU 2025156, 162, 214, 215), [Jun. 21, 2025] (NAQU2025176, 186, 195, 199, 217, 218), [Jul. 21, 2025] (NAQU2025252, 258, 288, 289) [Jul. 24, 2025] (NAQU2025272, 279, 290), [Jul. 31, 2025] (NAQU2025300, 305, 324, 331, 336, 340, 343, 347, 376, 377, 378, 386, 387), [Sep. 20, 2025] (NAQU2025417, 438),



Table.6 Continuity (2/2)

Satellite	Continuity
SVN004 (PRN195)	Unscheduled interruptions occurred on [May. 14, 2025] (NAQU2025076, 081, 083, 084), [Jun. 13, 2025] (NAQU2025093, 099), [Jun. 14, 2025] (NAQU2025103, 113), [Jun. 17, 2025] (NAQU2025121, 123), [Jun. 20, 2025] (NAQU2025158, 164), [Jul. 9, 2025] (NAQU2025232, 234), [Jul. 16, 2025] (NAQU2025241, 243), [Jul. 21, 2025] (NAQU2025255, 261), [Jul. 24, 2025] (NAQU2025271, 277), [Jul. 31, 2025] (NAQU2025298, 308, 311, 315, 322, 329, 379, 380), [Aug. 4, 2025] (NAQU2025357, 361, 365, 369), [Aug. 28, 2025] (NAQU2025394, 395), [Sep. 20, 2025] (NAQU2025420, 434).
SVN005 (PRN196)	Unscheduled interruptions occurred on [Apr. 28, 2025] (NAQU 2025073), [May. 14, 2025] (NAQU 2025077, 082), [May. 26, 2025] (NAQU2025086), [Jun. 20, 2025] (NAQU2025134, 165), [Jun. 21, 2025] (NAQU2025175, 185, 193, 197, 216, 218), [Jul. 21, 2025] (NAQU2025251, 257, 263, 265, 287, 289), [Jul. 29, 2025] (NAQU2025292, 297), [Jul. 31, 2025] (NAQU2025299, 304, 310, 313, 323, 330, 335, 339, 345, 348, 381, 382, 383, 384, 385), [Aug. 4, 2025] (NAQU2025355, 359, 363, 367), [Sep. 19, 2025] (NAQU2025403, 408), [Sep. 27, 2025] (NAQU2025446, 447).



4.5. Integrity

Table 7 shows the integrity for the evaluation period.

Table.7 Integrity

Satellite	Integrity
SVN002 (PRN194)	No integrity risks occurred during the period.
SVN003 (PRN199)	No integrity risks occurred during the period.
SVN004 (PRN195)	No integrity risks occurred during the period.
SVN005 (PRN196)	No integrity risks occurred during the period.



Note

*1 The evaluation continuously operating reference stations (CORS) included in each area are shown in Table A.

Table A. Evaluation Station List

Area	Station Name (Station ID)
1	IRIOMOTEJIMA(950500), IRABU(960747), TARAMA(960748), ISHIGAKI1(960749), HATERUMAJIMA(960751)
2	MOTOBU(950496), KIKAI2(960732), SETOUCHI(960733), CHATAN(021095)
3	KAMIYAKU1(950493), FUKUOKATAKATA(970831), AZUMA(960717), FUKUOKA(021062), TSUIKI(021064), HAYATO(021089), MOROTSUKA(021083), OOSUMI(021090)
4	IYO(950434), MISHOU(950437), MARUGAME(960677), YUGE(960678), MUROTO4(031122)
5	YANAI(950414), MISUMI(950388), OKAYAMAOOHARA(950390), OKAYAMACYUO(950393), MIZOKUTHI(950379)
6	MATSUSAKA(950311), FUKUCHIYAMA(950329), MIZUHO(950331), TAKARAZUKA(950353), UNAZUKI(020967), ANAMIZU(020972), GIFU-A(031128), MARUOKA(950257)
7	TSUKUBA3(960627), IRUMA(960755), TAKATOO(020987), SANO(93001), SAKURAGAWA(93010), ITO-A(101183)
8	SHICHIKASHUKU(950180), OOGATA(950241), TAKASHIMIZU(020915), KAMIYAMA(960557), KANAI(960565)
9	IWATE(950161), KESENNUMA(950172), GOJOUME(950186), MINASE(950193), SAWAUCHI(020908), TOWADAKO1(020899), MAMUROGAWA(020930), HIRANAI-A(091175)
10	BIEI(940007), IKEDA(940011), SHIKABE(950147), OTARU2(960517), NAGANUMA(940014), MAKUBETSU(020889), URAKAWA(020891), SHINTOTSUKAWA-A(022005)
11	HABORO2(020855), ASHORO(950121), AKAN1(950124), RISHIRI(960501), BIHORO(960507), NEMURO4(960519), HAMATONBETSU(970779), NAKATONBETSU(020850), NEMURO1-A(101182)
12	CHICHIJIMA-A(052007)

*2 CLASLIB is available at the following web address:

https://qzss.go.jp/technical/dod/clas/clas_test-library.html

Archives are available at the following web address:

<https://sys.qzss.go.jp/dod/archives.html>

*3 The northern limit is defined as 45.6°N, 148.8°E, and the southern limit as 24.4°N, 122.9°E.



*4 SVN003 was temporarily out of service from June 30th to July 14th, 2025 due to the test transmission of CLAS service improvement by increasing the number of augmented satellites as specified in IS-QZSS-L6-007-Draft. (NAQU NUMBERS: 2025219, 2025220, 2025236, 2025237)